



# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE CONFIRMATION NO. 11/30/1999 P18408 09/450,514 **KOICHI SATO** 7714 **EXAMINER** 7055 7590 06/03/2004 GREENBLUM & BERNSTEIN, P.L.C. HANNETT, JAMES M 1950 ROLAND CLARKE PLACE ART UNIT PAPER NUMBER RESTON, VA 20191 2612

DATE MAILED: 06/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application	on No.	Applicant(s)
		09/450,51	4	SATO, KOICHI
		Examiner		Art Unit
		James M ł	Hannett	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).				
Status				
1)⊠	Responsive to communication(s) filed on 18 March 2004.			
*	This action is <b>FINAL</b> . 2b) This action is non-final.			
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims				
4)⊠ 5)□ 6)⊠ 7)□	<ul> <li>Claim(s) 1-12 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>Claim(s) is/are allowed.</li> <li>Claim(s) 1-12 is/are rejected.</li> </ul>			
Application Papers				
9) ☐ The specification is objected to by the Examiner.  10) ☒ The drawing(s) filed on 30 November 1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)				
	ee of References Cited (PTO-892)		4) Interview Summary Paper No(s)/Mail Da	(PTO-413)
3) Infor	ee of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 er No(s)/Mail Date	08)		atent Application (PTO-152)

Application/Control Number: 09/450,514

Art Unit: 2612

#### **DETAILED ACTION**

## Response to Arguments

Applicant's arguments filed 3/18/2004 have been fully considered but they are not persuasive.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the thinned pixel data can be, as a non-limiting example only Rm,n, Gm+3,n, Rm+6,n, Gm,n+3, Bm+3,n+3, Gm+6,n+3, Rm,n+6, Gm+3,n+6, Rm+6,n+6 etc. and hat the thinned pixel data is not enclosed by the broken lines P3) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). It should be noted that the amended limitation added to the claim that the thinned pixel data is uniformly distributed is written broadly and does not include the limitations argued by the applicant. It is viewed by the examiner that the thinned pixel data displayed on the LCD display is uniformly distributed because the thinned pixel data consists of the pixels continuing in the uniform pattern as depicted in Figure 3 of Miyamoto.

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Page 2

Application/Control Number: 09/450,514 Page 3

Art Unit: 2612

1: Claim 10 is rejected under 35 U.S.C. 102(e) as being anticipated by USPN 6,593,965 Miyamoto.

2: In regards to Claim 10, Miyamoto teaches an image reading device in which pixel data of a first image, formed on an imaging device having an on-chip color filter of a plurality of colors, are point-sequentially read from the imaging device (Column 2, Lines 11-17). And subjected to an interpolation process (Column 4, Lines 12-20) to generate components of the plurality of colors for each of the pixel data to obtain a second image, the image reading device comprising:

A thinning processor (Figure 3 and Column 3, Lines 57-60) that thins out some of the pixel data before the pixel data are subjected to the interpolation process, so that the second image is composed of a smaller number of pixels than the first image. Furthermore, the thinned pixel data displayed on the LCD display is uniformly distributed because the thinned pixel data consists of the pixels continuing in the uniform pattern as depicted in Figure 3 of Miyamoto.

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3: Claims 1-9, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,593,965 Miyamoto in view of USPN 5,900,623 Tsang et al.
- 4: As for Claim 1, Miyamoto teaches an image reading device comprising:

Application/Control Number: 09/450,514

Art Unit: 2612

An imaging device that has pixels and color filters provided on said imaging device, said color filter having color filter elements of a plurality of colors (Figure 3), said pixels generating an original image data containing pixel data, each of which corresponds to one of said colors which are arranged in a predetermined distribution; A reading processor that reads said pixel data from said imaging device; Column 2, Lines 11-17. A thinning processor that thins out some of said pixel data to generate a thinned image data, colors of which are arranged in said predetermined distribution; Figure 3 and Column 3, Lines 57-60 and An interpolation processor that performs an interpolation process on said thinned image data to generate an interpolated image data for each of said colors; Column 4, Lines 12-20. Furthermore, the thinned pixel data displayed on the LCD display is uniformly distributed because the thinned pixel data consists of the pixels

Miyamoto does not teach an imaging device that has photo-diodes rather states that the imaging device is a CCD image sensor.

continuing in the uniform pattern as depicted in Figure 3 of Miyamoto.

Tsang et al depicts in Figure 4 and teaches on Columns 4 and 5, Lines 60-67 and Lines 1-4 the use of an image sensor that uses photo-diodes for generating image data. Tsang et al teaches that it is advantageous to use photo-diodes because they provide superior quantum efficiency.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the photo-diode image sensor array configuration of Tsang et al for the image sensor of Miyamoto in order to provide superior quantum efficiency.

5: In regards to Claim 2, Miyamoto teaches on Column 3, lines 57-63 and depicts in Figure 3 wherein said colors of said original image data are arranged in such a manner that a (m x m)

Page 4

Application/Control Number: 09/450,514 Page 5

Art Unit: 2612

matrix, formed by said plurality of colors, is repeated, and said thinning processor thins out (m x (n-1)) number of pixel data for every (m x n) number of pixel data in a horizontal direction and a vertical direction of an image corresponding to said original image data, wherein each of "m" and "n" is a positive integer greater than 1. The examiner has viewed m = 2 and n = 2, therefore there is a (2x2) matrix which contains two green pixels one red pixel and one blue pixel. And the system thins out 2 pixel data for every 4 pixel data.

- 6: As for Claim 3, Miyamoto teaches on Column 3, lines 57-63 and depicts in Figure 3 wherein the colors of the original image data are arranged in such a manner that a (2x2) matrix, formed by said plurality of colors, is repeated, and said thinning processor thins out  $(2 \times (n-1)) = 2$  number of pixel data for every  $(2 \times n) = 4$  number of pixel data in a horizontal direction and a vertical direction of an image corresponding to the original image data. The examiner has viewed n = 2, therefore there is a (2x2) matrix which contains two green pixels one red pixel and one blue pixel. And the system thins out 2 pixel data for every 4 pixel data.
- 7: In regards to Claim 4, Miyamoto teaches on Column 5, Lines 59-63 that the ratio for image reduction is not limited to 1:2, and that by changing the number of pixels between neighboring pixel blocks, other corresponding ratios can be used.

However, Miyamoto does not specifically state that the thinning processor thins out 2 pixel data for every 3 pixel data. However, Official Notice is taken that it was well known in the art at the time the invention was made for display screens to be different sizes which would require a thinning process to thin out 2 pixel data for every 3 pixel data, in order to enable a system to display image data on display screens that have less resolution that the image sensor.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to enable the system of Miyamoto to use a reduction ratio in which the thinning processor thins out 2 pixel data for every 3 pixel in order to enable the system to display the image data on a display screen that had one third the resolution of the image sensor.

8: As for Claim 5, Miyamoto teaches on Column 5, Lines 59-63 that the ratio for image reduction is not limited to 1:2, and that by changing the number of pixels between neighboring pixel blocks, other corresponding ratios can be used.

However, Miyamoto does not specifically state that the thinning processor thins out 2 pixel data for every 3 pixel data. However, Official Notice is taken that it was well known in the art at the time the invention was made for display screens to be different sizes which would require a thinning process to thin out 4 pixel data for every 5 pixel data, in order to enable a system to display image data on display screens that have less resolution that the image sensor.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to enable the system of Miyamoto to use a reduction ratio in which the thinning processor thins out 4 pixel data for every 5 pixel data in order to enable the system to display the image data on a display screen that had one fifth the resolution of the image sensor.

- 9: In regards to Claim 6, Miyamoto depicts in Figure 3 that the colors of the color filter elements are arranged in the Bayer arrangement.
- 10: As for Claim 7, Miyamoto depicts in Figure 3 that the color filter has red filter elements, green filter elements and blue filter elements, and in the (2 x 2) matrix, the green filter elements are positioned on a diagonal line, and the red filter element and the blue filter element are positioned on another diagonal line.

Page 7

Application/Control Number: 09/450,514

Art Unit: 2612

In regards to Claim 8, Miyamoto teaches on Column 5, Lines 59-63 that the ratio for image reduction is not limited to 1:2, and that by changing the number of pixels between neighboring pixel blocks, other corresponding ratios can be used. Therefore, the reduction ratio is set in accordance with which the number of pixel data thinned out by the thinned processor.

- 12: As for Claim 9, Miyamoto teaches on Column 5, Lines 64-67 a reduced image indicating processor that forms a color image based on the interpolated image data and indicates the color image. Miyamoto teaches that the reduced or thinned image is interpolated and sent to the video memory and is then displayed on an LCD. This is viewed by the examiner as forming a color image based on the interpolated image data and indicates the color image.
- 13: In regards to Claim 11, Miyamoto depicts in Figure 3 that the colors of the color filter elements are arranged in the Bayer arrangement.
- 14: As for Claim 12, Miyamoto depicts in Figure 3 that the color filter has red filter elements, green filter elements and blue filter elements, and in the (2 x 2) matrix, the green filter elements are positioned on a diagonal line, and the red filter element and the blue filter element are positioned on another diagonal line.

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Application/Control Number: 09/450,514

Art Unit: 2612

Page 8

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to James M Hannett whose telephone number is 703-305-7880. The

examiner can normally be reached on 8:00 am to 5:00 pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Wendy Garber can be reached on 703-305-4929. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James M. Hannett

Examiner

Art Unit 2612

**JMH** May 25, 2004